



349.00 EUR

incl. 19% VAT, plus [shipping](#)

- Open-Frame !
- Auto Power On !
- LED Backlight !

CARTFT.COM



**Support:**  [Dimensions](#)

**Update (25.08.2010):** Now with LED-Backlight !

With the new Open-Frame TFT display-series from CarTFT you get back control : The ruggedized metal frame enables you a stable installation. The single modules (Mainboard, Touchscreen controller, Power inverter and button-frame) can be screwed off from the rear side and being positionated elsewhere. This way you can install the connector cables more easier and the display thickness shrinks also.

**Note :** This Open-Frame TFT display is an offer primarily meant for business and project customers. End consumers should only handle with unprotected electronic parts with appropriate experience.

**Possible additional options (starting from a MOQ of 20 units):**

- Speakers
- Auto-Dimmer
- Different cable lengths
- Other display models/sizes
- Touchscreen RS232 instead of USB
- Other connector types
- [...] Ask us !

**Additional informations :**

With the touchscreen functionality you easily can control your PC. The brilliant VGA-display ensures a maximum readability and sharpness.

AC-Adapter for home usage and a car cigarette lighter adapter is included.

The CTF-1040-M can be used with any PC/MAC with VGA- and USB port.

Driver-CD included, compatible with :

- Windows 95/98/ME/NT4/2000/XP/7/8/8.1/10
- XP Tablet PC Edition
- Windows CE 2.12, 3.0, .net
- Linux RedHat,Mandrake,...
- Macintosh OS 9.x, 10.x
- DOS,...

| <b>Spezifications</b> |                                                                |
|-----------------------|----------------------------------------------------------------|
| Screen size           | 10.4" digital                                                  |
| Aspect Ratio          | 4:3 wide TFT screen                                            |
| Dot Resolution        | 2400x600= 1,440,000 dots                                       |
| Physical Resolution   | 800x600                                                        |
| Supported Resolutions | 640x480-1024x768                                               |
| Color configuration   | RGB stripe                                                     |
| Power input           | DC 9-30V                                                       |
| Power consumption     | max. 12W                                                       |
| Video system          | 2x Video inputs (PAL/NTSC)<br>1x VGA input                     |
| Dimensions            | Dimensions : 231 x 178 x 36.6 mm<br>Display : 211.2 x 158.4 mm |
| Video input signal    | 1.0Vp-p, composite video                                       |

|                           |                                                             |
|---------------------------|-------------------------------------------------------------|
| <i>Features</i>           | Full function OSD control (englisch)                        |
|                           | Auto Power On/Off                                           |
|                           | Autodimmer                                                  |
| <i>What is included ?</i> | - 10.4" VGA Open-Frame Touchscreen T-F-T with Video-support |
|                           | - Power Adapter f. EU 230V                                  |
|                           | - Cigarette Lighter Adapter                                 |
|                           | - Touchscreen Driver-CD                                     |
|                           | - Manual                                                    |